

SN

Notice of Allowability	Application No.	Applicant(s)
	10/621,182	SANDERS, WILLIAM T.
	Examiner	Art Unit
	Mohammad Ali	3744

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to the appeal brief filed 01/26/05.
2. The allowed claim(s) is/are 21-23 and 28-32.
3. The drawings filed on 16 July 2003 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some* c) None of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).


* Certified copies not received: _____

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____



WILLIAM DOERRLER
PRIMARY EXAMINER

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Henry S. Jaudon on 03/07/05. The application has been amended as follows: The word "tray" in line 10 of claim 31 has been changed to -----shelf-----.

Response to Arguments

Applicant's arguments, see page 5-8 of appeal brief, filed 01/26/05, with respect to claims 21-23 and 27-32 have been fully considered and are persuasive. The final rejection of 10/26/04 and subsequent advisory action of 12/29/04 has been withdrawn.

Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: Claims 21, 31 and 32 are allowable because the prior art of record fails to disclose or suggest or teach the recited compartment wall having an opening through the dispenser chute is positioned; a dispensing panel attached to the compartment wall and including a front with a display and recess; and ice delivery chute passing through the dispensing panel into the recess, the ice delivery chute being adapted to receive ice from the ice dispenser through the dispenser chute (See claim 21); compartment which includes an ice maker and an ice dispenser with an ice dispensing chute; providing a dispensing

panel which includes a display front, a chamber which receives a delivery chute, an activating unit, and a shelf beneath the delivery chute; providing an ice chest which approximately 2' high and placing the ice chest on the shelf beneath the delivery chute (See claim 31); the dispensing panel being attached to the side wall and having a display front, an actuator, a delivery chute, and a support tray positioned about 2 feet beneath the delivery chute; the delivery chute being positioned to receive ice from the dispenser through a dispenser chute passing through the wall (See claim 32).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mohammad Ali whose telephone number is 703-308-5032. The examiner can normally be reached on Monday to Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Esquivel Denise can be reached on 703-308-2597. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3744

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Md. Mehedi Ali
Mohammad M. Ali
March 4, 2005



WILLIAM DOERRLER
PRIMARY EXAMINER